2022-COA-447 (IURS) 39 JACKSON PLACE







PREPARED BY:













CONTENTS

- 1 CONCEPTUAL FRAMEWORK
- 2 PLACEMAKING OBJECTIVES
- 3 DESIGN ELEMENTS: THE BASICS
- 4 DESIGN ELEMENTS: ENHANCEMENTS
- 5 CAPITOL AVENUE
- 6 ILLINOIS STREET
- 7 MERIDIAN STREET

REA | 2


160





An iconic gateway and destination for downtown Indianapolis that...

- Creates a series of connected, authentic spaces and experiences that are unique to Indianapolis
- Reflects the architectural and engineering artistry of Union Station and the bridge structures
- Elevates the culture of our city by honoring the past and looking boldly to our future






































BRIDGE REPAIR / REHABILITATION









IMPROVEMENTS


- Make repairs to columns and structural elements per structural analysis
- Clean and paint steel structure
- Repair broken downspouts
- Stabilize leaks in bridge deck

BRIDGE REPAIR - COLUMN REPAIR DETAIL

Concrete Encasement 2'-0" -Sidewalk Column _ Column _ Looking N or S Looking E or W

OPTION A


 Structural repair and stabilization of bridge columns with partial concrete encasement



BRIDGE REPAIR - COLUMN REPAIR DETAIL

SECTION 4

SECTION 3



OPTION B

• Structural repair and stabilization of bridge columns with welded steel plates and


FACADE RESTORATION













176




IMPROVEMENTS

- Assess bridge facade treatments for structural integrity and expected longevity
- Repair bridge facade features to improve safety and aesthetics
- Restore historic features and elements on facades
- Enhance bridge facades with new detail and placemaking elements

LIGHTING AND ELECTRICAL






IMPROVEMENTS

- Improved lighting throughout underpass to improve safety
- Add specialty lighting for dramatic effects / interest
- Make general upgrades to electrical systems





STREET / PUBLIC REALM










IMPROVEMENTS

- Utilize a Complete Streets approach, including reducing the roadway and widening the sidewalk
- Where appropriate, provide dedicated, grade-separated bicycle facilities within expanded pedestrian zones
- Employ traffic calming techniques to improve pedestrian safety
- Enhance crosswalks and intersections
- Rebuild poorly designed and deteriorating curb ramps and curb cuts to prioritize smooth transitions for pedestrians
- Convert sections of street to create pedestrian areas
- Create connections to existing bicycle and pedestrian facilities, including the Indianapolis Cultural Trail
- Improve street lighting
- Create areas to add street trees and plantings
- Utilize decorative pavements



CAPITOL AVENUE




EXISTING CONDITION




PROPOSED ENHANCEMENTS




CAPITOL AVENUE - EXISTING CONDITIONS




CAPITOL AVENUE - PROPOSED ENHANCEMENTS



CAPITOL AVENUE - EXISTING CONDITIONS



CAPITOL AVENUE - PROPOSED ENHANCEMENTS



CAPITOL AVENUE - NORTH FACADE ENHA




















CAPITOL AVENUE - ART AND BRANDING














PROGRAMMING OPPORTUNITIES

- Provide flexibility to close down the street during high volume events, invite food trucks and moveable seating to allow for large gatherings
- Create photo opportunities and social media walls to create a unique experience and destination
- Install interactive displays that engage users and are always chainging
- Utilize artistic panels to add light and movement to the space

ILLINOIS STREET




EXISTING CONDITION







ILLINOIS STREET - EXISTING CONDITIONS




ILLINOIS STREET - PROPOSED ENHANCEMENTS




ILLINOIS STREET - EXISTING CONDITIONS




ILLINOIS STREET - PROPOSED ENHANCEMENTS




ILLINOIS STREET - EXISTING CONDITIONS



ILLINOIS STREET - PROPOSED ENHANCEMENTS







ILLINOIS STREET - NORTH FACADE



















LOOSE SHARD



REA | 40

















LOOSE SHARD



DISCOLORED

REA | 41

ILLINOIS STREET - SOUTH FACADE ENHANCEMENTS



ILLINOIS STREET - SOUTH FACADE (Existing)



ILLINOIS STREET - SOUTH FACADE (Proposed)




ILLINOIS STREET - ART AND BRANDING














PROGRAMMING OPPORTUNITIES

- Mount mural panels to concrete walls
- Use rhythmic/repetitive elements that complement the bridge structure
- Provide lighting to enhance existing and proposed murals
- Activate the space beneath bridges with storefronts that are well lit and transparent
- Provide interactive elements that engage visitors
- Utilized programable, changeable, interactive, digital pieces to add animation, light, and movement
- Create leasable space in Union Station

MERIDIAN STREET




EXISTING CONDITION




PROPOSED ENHANCEMENTS



MERIDIAN STREET - EXISTING CONDITIONS



MERIDIAN STREET - PROPOSED ENHANCEMENTS




MERIDIAN STREET - EXISTING CONDITIONS




MERIDIAN STREET - PROPOSED ENHANCEMENTS




MERIDIAN STREET - EXISTING CONDITIONS



MERIDIAN STREET - PROPOSED ENHANCEMENTS



MERIDIAN STREET - NORTH FACADE ENHANCEMENTS



MERIDIAN STREET - NORTH FACADE


















MERIDIAN STREET - NORTH FACADE




UNION STATION TRAIN SHED - NEAR MERIDIAN STREET - LOOKING SOUTHWEST (JUNE 11, 1921)


UNION STATION TRAIN SHED CIRCA 1921

THE HISTORIAN


MERIDIAN STREET - NORTH FACADE (Existing)



MERIDIAN STREET - NORTH FACADE (Proposed)



MERIDIAN STREET - NORTH FACADE (Proposed)




MERIDIAN STREET - STAIRS



REA | 60

MERIDIAN STREET - STAIRS




WOOD RAILINGS WITH HISTORIC GUARDRAIL PROFILE


ETCHED GLASS REFERENCES HISTORIC PATTERN

STEEL POSTS THAT REFERENCE HISTORIC RAILING POSTS

STEEL STRINGER THAT REFERENCES STEEL BRIDGE CONSTRUCTION



MERIDIAN STREET - ELEVATOR






SIMPLE ELEVATOR WALLS WITH GLASS OFFSET

TERRACOTTA PANELS

ARTICULATED CORNER DETAIL


MURAL GRAPHICS

MERIDIAN STREET - SOUTH FACADE ENHANCEMENTS







MERIDIAN STREET - SOUTH FACADE (Existing)



MERIDIAN STREET - SOUTH FACADE (Proposed)



MERIDIAN STREET - SOUTH FACADE (Proposed)



MERIDIAN STREET - ART AND BRANDING











PROGRAMMING OPPORTUNITIES


- Expand café space that could serve the leasable restaurant as well as provide flexible seating options to the public
- Create a dynamic entrance to the rooftop that invites the public up to enjoy the amenities and the view
- Create art walls a stairway openings and the existing elevator structure extending from street-level to plazalevel
- Celebrate the history of the location, sharing the transformation of Pogue's Run, the transition of multiple depots to Union Station, and the creation of the Wholesale District

MERIDIAN STREET BRIDGE DECK PLAZA - EXISTING










MERIDIAN STREET BRIDGE DECK PLAZA - Existing



REA | 70

MERIDIAN STREET BRIDGE DECK PLAZA - Proposed



REA | 71



MERIDIAN STREET BRIDGE DECK PLAZA - ART & BRANDING









PROGRAMMING OPPORTUNITIES

- Rooftop Restaurant/Bar
- Large-scale mural/graphics on the existing garage elevator/stair tower
- Branding/Art incorporation on bar/restroom walls, viewing platform, stairways, and furnishings



2022-COA-480 (CH) 920 DORMAN STREET

PROJECT SUMMARY

This project includes the extension of a parking lot to add 45 new parking spaces. The spaces are needed due to the continued growth and hiring by Fitzmark at their US headquarters in Indianapolis.


The project includes the installation of asphalt pavement, concrete curb, and associated landscaping shown on the enclosed landscape plan. The materials will be consistent with the existing parking lot materials.

NARRATIVE OF CIRCUMSTANCES REGARDING REQUEST FOR EXTENSION OF COA

by the company. The plan was approved in 2019, and construction was scheduled to begin in the spring 950 Dorman Street in Indianapolis. The plan was to expand the parking onto an adjacent parcel owned Fitzmark Logistics had originally planned to expand parking to their corporate headquarters located at of 2020. However, in 2020, the COVID crisis caused the project to be delayed indefinitely.

The project has been reinitiated in 2022 and due to the approval timelines for IHPC will likely begin in the spring of 2023.
















DECIDUOUS TREE DETAIL

SCALE: NOT TO SCALE

REMOVE ANY TWINE OR SYNTHETIC TAPES FROM SHRUB TRUNK REMOVE BURLAP FROM TOP 1/3 OF ROOTBALL 3" SAUCER FILLED WITH SHREDDED WEED BARRIER OR BARK MULCH EXTENDED 6" FROM PIT PRE-EMERGENT HERBICIDE FINISH GRADE BACKFILL WITH A MIXTURE OF — 50% TOPSOIL, 25% ORGANIC COMPOST AND 25% PEAT MOSS PLANTING BED TO A DEPTH OF 24" TO MEET INDIANAPOLIS GREEN FACTOR REQUIREMENTS.

SHRUB DETAIL



PERENNIAL DETAIL SCALE: NOT TO SCALE

EX. ASPH. PAVEMENT EX. POWER RMAN REE EX. ASPH. EX. ASPH. PAVEMENT PAVEMENT PARKING LOT ⇒‱ - - -LEX. POWER POLE EX. BUILDING LANDSCAPE PLAN

PLANT SCHEDULE

BOTANICAL NAME	COMMON NAME	QTY.	SIZE	COND.	REMARKS
ACER RUBRUM 'OCTOBER GLORY	OCTOBER GLORY RED MAPLE	2	2.0"	B & B	
AMELANCHIER CANADENSIS	SERVICEBERRY	3	8' HT.	B & B	MULTI-STEM
PICEA ABIES	NORWAY SPRUCE	0	6' HT.	B & B	
QUERCUS IMBRICARIA	SHINGLE OAK	1	2.0"	B & B	
ULMUS PARVIFOLIA 'DYNASTY'	DYNASTY ELM	2	2.0"	B & B	
	ACER RUBRUM 'OCTOBER GLORY AMELANCHIER CANADENSIS PICEA ABIES QUERCUS IMBRICARIA	ACER RUBRUM 'OCTOBER GLORY OCTOBER GLORY RED MAPLE AMELANCHIER CANADENSIS SERVICEBERRY PICEA ABIES NORWAY SPRUCE QUERCUS IMBRICARIA SHINGLE OAK	ACER RUBRUM 'OCTOBER GLORY OCTOBER GLORY RED MAPLE 2 AMELANCHIER CANADENSIS SERVICEBERRY 3 PICEA ABIES NORWAY SPRUCE 0 QUERCUS IMBRICARIA SHINGLE OAK 1	ACER RUBRUM 'OCTOBER GLORY OCTOBER GLORY RED MAPLE 2 2.0" AMELANCHIER CANADENSIS SERVICEBERRY 3 8' HT. PICEA ABIES NORWAY SPRUCE 0 6' HT. QUERCUS IMBRICARIA SHINGLE OAK 1 2.0"	ACER RUBRUM 'OCTOBER GLORY OCTOBER GLORY RED MAPLE 2 2.0" B & B AMELANCHIER CANADENSIS SERVICEBERRY 3 8' HT. B & B PICEA ABIES NORWAY SPRUCE 0 6' HT. B & B QUERCUS IMBRICARIA SHINGLE OAK 1 2.0" B & B


SHRUBS

KEY	BOTANICAL NAME	COMMON NAME	QTY.	SIZE	COND.	REMARKS
F	SPIRAEA X.BUMALDA 'GOLDFLAME'	GOLDFLAME SPIREA	19	5 GAL.	CONT.	
G	TAXUS MEDIA 'RUNYAN'	RUNYAN YEW	17	24" HT.	B & B	
Н	VIBURNUM PL. TOMENTOSUM 'NEWZAM'	NEWPORT VIBURNUM 'NEWZAM'	11	24" HT.	B & B	

ANNUALS / PERENNIALS / GRASSES

KEY	BOTANICAL NAME	COMMON NAME	QTY.	SIZE	COND.	REMARKS
1	CALAMAGROSTIS x ACUT. 'KARL FOERSTER'	FEATHER REED GRASS	50	3 GAL.	CONT.	
J	RUDBECKIA FULGIDA	BLACK-EYED SUSAN	9	#1 POT	CONT.	

PLANT LEGEND



NEW PARKING SF 14,493 S.F REQUIRED INTERIOR LANDSCAPE AREA (6% OF TOTAL) 870 S.F. PROVIDED INTERIOR LANDSCAPE AREA (FOR NEW PKG.) 2,042 S.F. INTERIOR TREES = 1 / 180 S.F. OF REQUIRED INTERIOR

LANDSCAPE AREA SPACE 5 TREES REQ. INTERIOR TREES PROVIDED

8 TREES PROVIDED PERIMETER PARKING LOT LANDSCAPING INFORMATION

1 TREE/35 FEET OF FRONTAGE REQUIRED

PARKING LOT LANDSCAPING INFORMATION

66 LF OF FRONTAGE/35LF 2 TREES REQ. FRONTAGE TREES PROVIDED 2 TREES PROVIDED

3 SHRUBS/25 FEET OF FRONTAGE REQUIRED 66 LF OF FRONTAGE/25LF 8 SHRUBS REQ. PERIMETER SHRUBS PROVIDED 21 SHRUBS PROVIDED

SCALE: 1" = 20' **UTILITY NOTES**

GENERAL NOTES:

1. IN CASE OF DISCREPANCIES BETWEEN THE PLAN AND THE PLANT LIST, THE PLAN SHALL DICTATE.

2. ALL SHRUB PLANTING AREAS SHALL HAVE DE-COMPACTED PLANTING SOIL MIXTURES TO A DEPTH OF 24" . AFTER PLANTING SHRUBS AND TREES, ALL BEDS ARE TO BE COVERED WITH 3" LAYER OF SHREDDED HARDWOOD BARK MULCH. ALL GROUND COVER BEDS SHALL BE COVERED WITH 2" SHREDDED HARDWOOD BARK MULCH. MULCH SHALL BE APPROVED BY LANDSCAPE ARCHITECT AND SHALL BE ADEQUATELY DECOMPOSED TO OBTAIN A UNIFORM IN TEXTURE AND COLOR. NO UTILITY MULCH OR PROCESSED TREE TRIMMINGS WILL BE ACCEPTED.

3. AN APPROVED PRE-EMERGENT HERBICIDE SHALL BE APPLIED IN ALL PLANTING BEDS AT A RATE SPECIFIED BY MANUFACTURER FOR EACH PLANT VARIETY AND MATERIAL USED.

4. FINAL PLACEMENT OF PLANT MATERIALS, ETC. SHALL BE APPROVED BY THE LANDSCAPE ARCHITECT BEFORE PLANTING OPERATIONS ARE TO PROCEED. ALL TREE LOCATIONS SHALL BE MARKED WITH A WOOD STAKE INDICATING VARIETY AND SIZE OF TREE. ALL GROUND COVER AND PLANTING BED LINES SHALL BE MARKED WITH HIGHLY VISIBLE PAINT LINES WITH OCCASIONAL WOOD STAKES FOR REFERENCE. ALL STAKES SHALL BE REMOVED FOLLOWING PLANTING OPERATIONS. LANDSCAPE ARCHITECT RESERVES THE RIGHT TO ADJUST PLANT LOCATIONS ON THE SITE.

5. NO SUBSTITUTIONS OF PLANT MATERIALS WILL BE ALLOWED. IF PLANTS ARE NOT AVAILABLE, THE CONTRACTOR SHALL NOTIFY LANDSCAPE ARCHITECT PRIOR TO BIDDING IN WRITING. ALL PLANTS SHALL BE INSPECTED AND TAGGED WITH PROJECT I.D. AT NURSERY OR CONTRACTORS OPERATIONS PRIOR TO MOVING TO JOB SITE. PLANTS MAY BE INSPECTED AND APPROVED OR REJECTED ON THE JOB SITE BY THE LANDSCAPE ARCHITECT.

6. ALL PLANTS SHALL MEET OR EXCEED AMERICAN STANDARDS FOR NURSERY STOCK, 1996 EDITION, AS SET FORTH BY AMERICAN ASSOCIATION OF NURSERYMEN. ALL TREES SHALL HAVE A CENTRAL STRONG SINGLE LEADER.

7. PLANTS AND ALL OTHER MATERIALS TO BE STORED ON SITE WILL BE PLACED WHERE THEY WILL NOT CONFLICT WITH CONSTRUCTION OPERATIONS AND AS DIRECTED BY LANDSCAPE ARCHITECT.

8. ALL LANDSCAPE PLANTINGS SHALL BE GUARANTEED FOR A PERIOD OF ONE YEAR FOLLOWING FINAL INSPECTION BY LANDSCAPE ARCHITECT. AT END OF THIS PERIOD. PLANT MATERIAL TERMED DEAD OR UNSATISFACTORY BY LANDSCAPE ARCHITECT SHALL BE REPLACED AT NO ADDITIONAL CHARGE BY THE LANDSCAPE CONTRACTOR.

9. THE LANDSCAPE CONTRACTOR SHALL OBTAIN AND PAY FOR ALL PERMITS AND FEES THAT MAY BE REQUIRED FOR HIS PORTION OF THE WORK. ALL DISTURBED LAWN AREAS SHALL BE SEEDED AS NOTED. PERMANENT SEEDED LAWNS SHALL BE SEED MIX AS STATED ON SHEET C801. ALL LAWNS SHALL BE GUARANTEED TO HAVE A FULL UNIFORM STAND OF ACCEPTABLE GRASS AT THE END OF THE ONE YEAR GUARANTEE PERIOD WITH NO BARE SPOTS COMPRISING MORE THAN 2% OF ANY LAWN AREA. ANY AREA SO NOTED WILL BE RE-SEEDED UNTIL AN ACCEPTABLE STAND OF GRASS IS ESTABLISHED.

10. SURVIVAL OF ALL PLANT AND GROUNDCOVER MATERIAL SHALL BE GUARANTEED FOR 1 YEAR FROM PROJECT ACCEPTANCE. REPLACEMENT SHALL OCCUR WITHIN 6 MONTHS OF INITIAL REQUEST.

11. ALL LANDSCAPE PLANTINGS AND LAWNS TO BE MAINTAINED BY CONTRACTOR FOR 60 DAYS FOLLOWING FINAL INSPECTION BY LANDSCAPE ARCHITECT. MAINTENANCE TO INCLUDE WATERING, WEEDING, CULTIVATING, REMOVING DEAD LEAVES AND BRANCHES, MULCHING, MOWING, AND ALL OTHER NECESSARY OPERATIONS REQUIRED FOR PROPER ESTABLISHMENT OF LAWNS AND PLANTINGS.

12. ALL LAWN AREAS WITHIN LAWN CONSTRUCTION LIMIT LINES TO RECEIVE 6" APPROVED TOPSOIL PRIOR TO SEEDING OPERATIONS. BACKFILL FOR TREE PLANTING SHALL BE FROM EXISTING PULVERIZED SOILS. A 5-10-5 ANALYSIS SLOW RELEASE FERTILIZER SHALL BE INCORPORATED INTO BACKFILL AT APPROVED RATES.

13. ALL INSTALLED PLANTINGS SHALL BE APPROPRIATELY WATERED FOR A MINIMUM OF ONE YEAR AFTER PLANTING TO ALLOW FOR THEIR ESTABLISHMENT.

> Know what's below. Call before you dig.

REVISIONS



SEAL | DATE

Project No: 18093L

Sheet Title:


LANDSCAPE **PLAN**

> SHEET NUMBER: L201

RECEIVED

DECEMBER 01, 2022

INDIANAPOLIS HISTORIC PRESERVATION COMMISSION



ORIENTATION & SCALE

FITZMARK 950 Dorman Ave Indianapolis, IN 46202


Project Description

PARKING

Project Location

INDIANAPOLIS **INDIANA**





INDIANAPOLIS HISTORIC PRESERVATION COMMISSION

designs and concepts contained herein are perty of DeBoy Land Development Services, reproduced in whole or in part, without thed Development Services, Inc.

PROJECT: F: \2009\2009-0021 - Cannon IV - Jerry Jones\SURVEY\DRAWINGS DWG: 2009-0021_3D.dwg
PLOTTED BY: R.C. BERGER
DATE: Wedneedey, May 20, 2009 10: 39: 53 AM

GENERAL NOTES:

- This survey solely relies on information gathered by DeBoy Land Development Services, Inc. No Title Commitments
- Any underground utilities depicted on the attached plat of survey have been located per visual observations or utility markings on the ground. No warranty, either expressed or implied, is made as to the accuracy and/or completeness of information presented on underground utilities, or as to its fitness for any particular purpose or use. In no event will DeBoy Land Development Services, Inc., its employees, agents, and/or assigns, be liable for any damages arising out of the furnishing and/or use of such information. The path of the utility lines shown on said plat of survey should be considered approximate until they are either relocated, by calling the Indiana Underground Plant Protection Agency at 1-800-382-5544 or until they are excavated to verify the location and path of the utility lines.
- Possession lines are referenced at monumented corners only. Possession lines may vary between said corners.
- No warranty, either expressed or implied, is made as to the accuracy and/or completeness of information provided by
 governmental authorities and/or third parties, or as to its fitness for any particular purpose or use, including but not
 limited to information presented on zoning, setback requirements, flood hazard zones and wetlands area(s). In no event
 will DeBoy Land Development Services, Inc., its employees, agents, and/or assigns, be liable for any damages arising
 out of the furnishing and/or use of such information.
- As used in this survey, certify means to state or declare a professional opinion of conditions regarding those facts or finding which are the subject of the certification and does not constitute a warranty or guarantee, either expressed or implied
- Source of Title: Instrument # 1999-146387
- As of the date of this survey, addresses have already been assigned to the surveyed tract as 950 North Dorman Street, Indianapolis, Indiana

NOTES:

The following observations are submitted regarding the uncertainties in the location of the boundary lines and corners set during a retracement survey of the above-described tract completed under my direction, as a result of: a) variances in reference monumentation; b) discrepancies in record descriptions and plats to survey lines; c) inconsistencies in lines of occupation as related to survey lines; and d) uncertainty of measurements made.

SURVEYOR'S REPORT

The Relative Positional Accuracy (due to random errors in measurements) of this survey is within that allowable for an Urban Survey (0.07 feet plus 50 ppm) as defined in IAC 865.

The perimeter of the survey was established based upon found monuments (existing curbs) that establish the Street location for the rights-of-way known Dorman Street. Said curbs were located and the right-of-way limits were established at points 30 feet off set from the perpendicular bisector of a line measured from face to face of said curbs. 9th Street was established by using the same method applied to improvements East Dorman and extending Westerly to the Railroad Right-of-Way. 10th Street was established by using Plat distances and extending North along and parallel with the Right-of-Way for Dorman Street from the previously established Right-of-way for 9thh Street. The monuments used (i.e. curbs), while regular and relative uniform, have an uncertainty in their location of 0.3 -/+ foot.

All the retraced (surveyed) parcels are lots or alleys with platted and recorded subdivisions that contain the same platted dimension and / or calls for adjoining rights-of-way. Because of the consistency of said record dimensions and information contained with said plats, there are no discrepancies in the record dimension nor do record gaps or overlaps exist. These are a discrepancy within the calls for Parcel I in Instrument # 19999-14637 as to a curve along said Railroad Right-of-Way. This discrepancy creates a variation between the record and measured calls of 0.47 foot +/- in a North-South direction.

The property described in Instrument #2000-19565(Miller) and Instrument # 2007-193377 (Cannon) have a record overlap of 8.50 feet. This is because the Miller deed calls for the ENTIRE North-South 17 foot alley and the Cannon deed calls for the West half of said alley. Possession, more or less, agrees with the Miller line and the normal rules of reversion indicate that the said alley, being part of Hanna's Heir's Addition, would revert to the adjoining property / lots created under the same plat. This situation / information has been provided to the client for their use.

The possession discrepancy is shown on the on the face of the survey and listed as follows:

- A chain link fence corner, with fence running North and East, is located 9.5 feet South and 7.4 feet West of the Southeast corner
 of the surveyed tract. The North terminus of said fence, running North from said corner, is 8.2 feet West of the East line of the
 surveyed tract.
- A chain link fence is located 0.1 feet to 3.0 feet West of the Client's West.

Certified to: Canon V, LLC

CERTIFICATE OF SURVEY

I, the undersigned, a Registered Professional Land Surveyor in the State of Indiana, do hereby certify that this plat of the following described real estate was prepared under my direct supervision, and to the best of my knowledge, information and belief, was executed in accordance with the requirements of the Indiana Survey Standards as defined in Title 865, Article 1, Rule 12 of the Indiana Administrative Code:

PARCEL IV (as per Corporate Warranty Deed as recorded in Instrument # 1999-146387 in the Office of the Recorder of Marion County, Indiana)

Beginning at the intersection of the North line of Pratt Street with the center line of the First Alley West of Dorman Street, thence North along the said center line of said alley to a point distant 154.70 feet South of the South line of East Tenth Street produced, thence Southwestwardly along a curve to the left with a radius of 819.15 feet 137.20 feet to a point 44.60 feet West of the East line of the above alley; thence East 20.60 feet, thence Southwesterly 504.00 feet to a point in said North line of Pratt Street distant 55.00 feet West of the East line of said Alley, thence East 47.5 to the place of beginning. ALSO, that portion of the vacated alley, being the First Alley West of Dorman Street which transverses or adjoins this premises.

EXCEPT any part of parcel IV that lies within Parcel I, Parcel II or Parcel III per Corporate Warranty Deed as recorded in Instrument # 1999-146387 in the Office of the Recorder of Marion County, Indiana

IN ORDER MODERNIZE AND UPDATE THE RECORD DESCRIPTION KNOWN AS PARCEL IV (as per Corporate Warranty Deed as recorded in Instrument # 1999-146387 in the Office of the Recorder of Marion County, Indiana) THE FOLLOWING PERIMETER DESCRIPTION HAS BEEN PREPARED:

A portion of the Northeast Quarter of Section 1, Township 15 North, Range 3 East and the Northwest of Section 6, Township 15 North, Range 4 East, Center Township, 2nd Principal Meridian, Marion County, Indiana, more particularly described as follows:

BEGINNING at the intersection of the North line of Pratt Street (9th Street) with the center line of the First Alley West of Dorman Street, said alley being part of the plat for Hanna's Heir's Addition to the City of Indianapolis as per plat thereof recorded in Plat Book 3, Page 79 in the Office of the Marion County Recorder, thence North 00 degrees 22 minutes 16 seconds East (This and the four (4) courses are on the perimeter of PARCEL IV (as described per Corporate Warranty Deed as recorded in Instrument # 1999-146387 in the Office of the Recorder of Marion County, Indiana) along the said center line of said alley 500.00 feet to a point on the South line of Parcel II described in said Instrument #1999-146387; thence North 89 degrees 53 minutes 03 seconds West 15.10 feet; thence North 07 degrees 39 minutes 39 seconds West 3.31 feet; thence South 03 degrees 53 minutes 16 seconds West 504.37 feet to a point on the North line of Pratt Street (9th Street) located North 89 degrees 53 minutes 03 seconds West 55.00 feet of the East line of said Alley, thence South 89 degrees 53 minutes 03 seconds East on the North line of Pratt Street (9th Street) 46.50 feet to the POINT OF BEGINNING.

9th STREET RIGHT-OF-WAY VACATION

A portion of the Northeast Quarter of Section 1, Township 15 North, Range 3 East and the Northwest of Section 6, Township 15 North, Range 4 East, Center Township, 2nd Principal Meridian, Marion County, Indiana, more particularly described as follows:


BEGINNING at the intersection of the North line of Pratt Street (9th Street) at the Southeast corner of Lot 58 in Hanna's Heir's Addition to the City of Indianapolis as per plat thereof recorded in Plat Book 3, Page 79 in the Office of the Marion County Recorder, thence North 89 degrees 53 minutes 03 seconds West on the North Line of said Pratt (9th Street) 271.00 feet to the Southwest corner of Parcel IV per Corporate Warranty Deed as recorded in Instrument # 1999-146387 in the Office of the Recorder of Marion County, Indiana; thence South 00 degrees 06 minutes 57 seconds West parallel with Dorman Street as per said Plat 60.00 feet to the South line of said Pratt Street (9th Street); thence North 89 degrees 53 minutes 03 seconds East on said South line 271.00 feet to the West line of Dorman Street; thence North 00 degrees 06 minutes 57 seconds East on said West line 60.00 feet to the POINT OF BEGINNING.

Corners were established and improvements were located as shown hereon.

I further affirm under the penalties for perjury, that I have taken reasonable care to redact each social security number in this document, unless required by law.

Certified this th day of May, 2009
DeBoy Land Development Services, Inc.

Michael L. DeBoy Registered Land Surveyor No. S0539-IN Designers Engineers Surveyors
501 S. 9th Street, Suite 100, Noblesville, IN, 4606
Phone: 317.770.1801 Fax: 317.770.1821
Toll Free: 1.888.801.8555



I., Center Twp., Marion

INDIANA

ndiana IT SURVEY-EY REPORT, NOT

ion / Twp. 15 North, Rg. 3 East, 2nd P County, Indiana RETRACEMENT SURVE

Section 6, Twp. East, PT. Section / Twp. 15 North, Rg. County, Inc

S

950 NORTH I

Q

CLIENT NAME:

CANNON IV, INC.

JERRY JONES

950 DORMAN STREET

INDIANAPOLIS, INDIANA

PHONE: (317) 951-0500

FAX: (317) 951-0600

© 2009 DeBoy Land Development Services, Inc.

DESIGNED: APPROVED: MLD


DRAWN: RCB CHECKED BY: MLD

SCALE:1" = 30' DATE: MAY 14, 2009

PROJECT NO.: 2009-0025

20F2

RECEIVED



Legend: 1129 New Address New Lot Number Existing Lot Number Iron Pipe Found 5/8" Iron Pin w/Cap Set

NOTE: This property has been removed from the Special Flood Hazard Zone AE and placed in Unshaded Zone X by LOMR dated April 30, 2009, Case No. 09-05-2436P

SANITARY SEWER COVENANT

It shall be the responsibility of the owner of any lot or percel of land within this plat to comply at all times with the provisions of the senitary sewer construction approved by the Department of Public Works and and the requirements of all sanitary sewer construction permits for this plan issued by said department. Owner further covenants that no building, structure, tree or other obstruction shall be erected, maintained, or allowed to continue on the portion of the owners real estate in which the easement and right of way is granted without express written permission from the department. Such permission, when duly recorded, shall run with the real estate. The department, and its agents, shall have the right to ingress and egress, for temporary periods only, over the owners' real estate adjoining said easement and right of way, when necessary to construct, repair or maintain sanitary sewer facilities.

STORM DRAINAGE COVENANT

It shall be the responsibility of the owner of any lot or parcel of land within the area of this plat to comply at all times with the provisions of the drainage plan as approved for this plat by the Dept. of Public Works (Drainage Division) of the City of Indianapolis and by the City the requirements of all drainage permits for this plat issued by

METROPOLITAN DEVELOPMENT COMMISSION. The Metropolitan Development Commission, its successors and assigns, shall have no right, power or authority to enforce any

commitments, restrictions or other limitations contained in this plat other than those covenants, commitments, restrictions or limitations that expressly run in favor of the Metropolitan Development

provided further, that nothing herein shall be construed to prevent the Metropolitan Development Commission from enforcing any provisions

the Dwelling Districts Zoning Ordinance of Marion County, Indiana, as amended, or any conditions attached to approval of this plat by the Plat Committee.

INTERSECTION SITE LINE REQUIREMENTS.

No fence, wall, hedge, shrub or planting which obstructs sight lines at elevations between two (2) and nine (9) feet above the street, shall be placed or permitted to remain on any corner Lot within the triangular area formed by the street property lines and a line connecting points twenty-five (25) feet from the intersection of said street lines, or in the case of a rounded property corner, from the intersection of the street

extended. The same sight line limitations shall apply to any Lot within ten (10) feet from the intersection of a street line with the edge of a driveway pavement. No tree shall be permitted to remain within such distances of any intersection unless the foliage line is maintained at sufficient minimum or maximum height to prevent obstruction of the sight line.

037186

2017 JUL -5 A 8 49

Re-plot of Lots 7, 8, and 9 in Hanna's Heirs Addition to Indianapolis

the Southeast corner of said Lot 9;

the Southwest comer of said Lot 7;

feet East of the West line of said Lot 7;

30.5 feet South of the North line of said Lot 7;

Beginning and containing 0.5716 acres more or less.

Subject to all legal easements and rights of way of record.

plat of Hanna's Heirs Addition to the City of Indianapolis.

Legal Description

Registered Land Surveyor No. S0529

of my knowledge and belief.

PLAT COVENANTS AND RESTRICTIONS Re-plat of Lats 7, 8, and 9 in Hanna's Heirs Addition to Indianopolis

A part of Lots 7, 8 and 9 as shown on the plat of Hanna's Heirs Addition to the

City of Indianapolis, recorded in Plat Book 3, page 79 in the Office of the Recorder for Marion County, Indiana and being described as follows:

thence South 00 degrees 00 minutes 00 seconds East (an assumed bearing)

thence continue South 00 degrees 00 minutes 00 seconds East 119.50 feet to

thence South 90 degrees 00 minutes 00 seconds West along the south line of said Lots 9, 8, and 7 a distance of 146.50 feet to a point 69.50 feet East of

thence South 90 degrees 00 minutes 00 seconds West 33.00 feet to a point 36.5

thence North 90 degrees 00 minutes 00 seconds East parallel with and 30.5 feet South of the North line of said Lots 7, 8, and 9 a distance of 149.50 feet; thence South 45 degrees 00 minutes 00 seconds East 42.43 feet to the Point of

Cross reference is hereby mode to a survey by Evergreen Planners dated April 26, 2012 and recorded as Inst. No. A 2012 - 6885 -

Subject to all easements and rights of way as shown on the above referenced

I, the undersigned hereby certify that the survey shown hereon was made under my direct supervision and is in accordance with Title IAC 865, Article 12, Section 1

WITNESS my hand and Registered Land Surveyor's Seal this 24rt day of

through 29 of the Indiana Administrative Code and is true and correct to the best

thence North 00 degrees 00 minutes 00 seconds West 104.50 feet to a point

along the East line of said Lot 9 60.50 feet to the Point of Beginning;

thence North 00 degrees 00 minutes 00 seconds West 45.00 feet;

Commencing at the Northeast corner of said Lot 9;

The undersigned, Ursula David, President of Indy Mod Homes, on Indiana Corporation (referred to herein as the "Developer"), the "Fee Owner" of the real estate shown and described in the Plat of this Subdivision (the "Real Estate") hereby certifies that they have laid off, platted and subdivided, and does hereby lay off, plat re-plat and subdivide said Real Estate in accordance with the Re-Plat. This Subdivision shall be known and designated as The Replat of Re-plat of Lots 7, 8, and 9 in Hanna's Heirs Addition to Indianapolis, containing 5 lots.

All rights of way shown and not heretafore dedicated are hereby dedicated to the City of Indianapolis for its use as public ways.

IN WITNESS WHEREOF, the undersigned, being duly authorized as the owners of the Real Estate, have hereunto executed these Plat Covenants and Restrictions as of the SRD day of JULY 2012.

STATE OF INDIANA COUNTY OF MARION)

Before me, a Notary Public, personally appeared Ursula David, President of Indy Mod Homes, on Indiana Corporation and acknowledged the execution of the foregoing Plat Covenants and Restrictions for and on behalf of said Corporation, and who, having been duly sworn, stated that any representations therein contained are true.

Notary Public DAMO M. RICKELMAN

My County of Residence: MORGAN





234 SOUTH FRANKLIN RD., INDIANAPOLIS, INDIANA 46

N 90°00'00" E 149.50' 3147 (5) 2 00,000,00 Stillwell (39' R/W 4,794 S.F 4,485 S.F 6,651 S.F 4,485 S.F 4,485 S.F 0.153 Ac. 0.103 Ac. B 0.103 Ac. B 0.110 Ac. 0.103 Ac. S 90°00'00" W 33.00 30.00 47.50' S 90°00'00" W 146.50 20' Alley

Highland Ave

I offirm, under penalties for perjury, that I have taken regsonable core to reduct each Social Security number in this document, unless required by low.

REVIEWED AND APPROVED

MARIOR COUNTY ASSESSE

JUL 95 2012